

EBCATOL OA IS A LOW FOAMING LUBRICANT AND ANTICRESS.

Typical SPECIFICATIONS

Appearance	Yellow clear liquid.
Compostion	Oleic acid derivative.
Ionic nature	Non-ionic ☒
Density	98 g/cm ³
pH at 1% solution	7 – 8
Solubility	Soluble in water in all proportions
Stability	Stable to medium concentrated solutions of acids and alkalis without decrease in activity. Wetting efficiency is not affected by electrolytes up to 40 gm/liter Sodium chloride. with using hard water it is advisable to use a water softener.

SPECIFIC PROPERTIES

Uses:

EBCATOL OA is used for the prevention of creases during dyeing process of cotton, polyester, polyester-blends and wool on dyeing fabrics in rope form.

EBCATOL OA is a levelling agent for: direct dyes and acid dyes (1-2% B.O.W.F)

PACKAGING

125, 140, 150 Kgs Plastic Drums.

These suggestions and data based on information we believe to be reliable. They are offered in good faith, but without guarantee, as conditions and methods of use of our products are beyond our control. We recommend that the prospective user determine the suitability of our materials and suggestions before adopting them on a commercial scale.

Egyptian British Company maintains Material Safety Data sheets (MSDS) on all of its products. These contain important information that you may need to protect your employees and customers against any known health and safety hazards associated with our products. We recommend you to obtain copies of MSDS for our products, from our technical representative, and obtain copies of MSDS from your suppliers of other raw materials used with our products.

All rights reserved for Egyptian-British Co.